


# Environmental product declaration

in accordance with ISO 14025 and EN 15804+A2

weber tørbeton 0-8 mm





The Norwegian EPD Foundation

# Owner of the declaration:

Saint Gobain Denmark A/S -Weber

# **Product:**

weber tørbeton 0-8 mm

# **Declared unit:**

1 kc

## This declaration is based on Product Category Rules: CEN Standard EN 15804:2012+A2:2019 serves as core

PCR

NPCR 009:2018 Part B for Technical - Chemical products in the building and construction industry

# **Program operator:**

The Norwegian EPD Foundation

# **Declaration number:**

NEPD-3803-2759-EN

# **Registration number:**

NEPD-3803-2759-EN

## Issue date:

12.10.2022

## Valid to:

12.10.2027

ver-170723

#### **EPD Software:**

LCA.no EPD generator ID: 51465



# **General information**

#### Product

weber tørbeton 0-8 mm

## **Program operator:**

Post Box 5250 Majorstuen, 0303 Oslo, Norway The Norwegian EPD Foundation Phone: +47 23 08 80 00 web: post@epd-norge.no

#### **Declaration number:**

NEPD-3803-2759-EN

#### This declaration is based on Product Category Rules:

CEN Standard EN 15804:2012+A2:2019 serves as core PCR NPCR 009:2018 Part B for Technical - Chemical products in the building and construction industry

#### Statement of liability:

The owner of the declaration shall be liable for the underlying information and evidence. EPD Norway shall not be liable with respect to manufacturer information, life cycle assessment data and evidences.

#### **Declared unit:**

1 kg weber tørbeton 0-8 mm

# **Declared unit with option:**

A1-A3,A4,A5,C1,C2,C3,C4,D

## Functional unit:

## General information on verification of EPD from EPD tools:

Independent verification of data, other environmental information and the declaration according to ISO 14025:2010, § 8.1.3 and § 8.1.4. Verification of each EPD is made according to EPD-Norway's guidelines for verification and approval requiring that tools are i) integrated into the company's environmental management system, ii) the procedures for use of the EPD tool are approved by EPD-Norway, and iii) the process is reviewed annually by an independent third party verifier. See Appendix G of EPD-Norway's General Programme Instructions for further information on EPD tools

## **Verification of EPD tool:**

Independent third party verification of the EPD tool, background data and test-EPD in accordance with EPDNorway's procedures and guidelines for verification and approval of EPD tools.

Third party verifier:

Anne Rønning, Norsus AS (no signature required)

#### Owner of the declaration:

Saint Gobain Denmark A/S -Weber Contact person: Eirini Adamopoulou Phone: 004542127774

e-mail: Eirini.Adamopoulou@saint-gobain.com

#### Manufacturer:

Saint Gobain Denmark A/S -Weber Silovei 3 Dk 2690 Karlslunde, Denmark

#### Place of production:

Saint Gobain Weber Karlstrup, Denmark

Karlstrup, Denmark

#### Management system:

DS/EN ISO 14001, DS/EN ISO 9001.

#### **Organisation no:**

59 98 30 16

#### Issue date:

12.10.2022

#### Valid to:

12.10.2027

#### Year of study:

2021

## Comparability:

EPD of construction products may not be comparable if they not comply with EN 15804 and seen in a building context.

## **Development and verification of EPD:**

The declaration is created using EPD tool lca.tools ver EPD2022.03, developed by LCA.no. The EPD tool is integrated in the company's management system, and has been approved by EPD Norway.

Developer of EPD: Eirini Adamopoulou

Reviewer of company-specific input data and EPD: Helene Løvkvist Andersen

# Approved:

Managing Director of EPD-Norway



## **Product**

## **Product description:**

weber tørbeton 0-8 mm is used for the casting of e.g. paving slabs, foundations, re-casting of piles and for the repair of concrete. Generally for environmental class P (X0, XC1 according to DS/EN 206-1).

For further information, see https://www.saint-gobain.dk/produkt/weber-toerbeton-0-8-mm

This EPD covers also the following products: Bygma tørbeton 0-8mm, Davidsen tørbeton 0-8mm

## **Product specification**

| Materials           | Value | Unit |
|---------------------|-------|------|
| Binders             | 16-20 | %    |
| Fillers/Aggregates  | 80-85 | %    |
| Additives/Packaging | 7-10  | %    |

#### **Technical data:**

Compressive strength: > 25 MPa (DS/EN 12390-3)

Set size: 40-100 mm (DS/EN 12350-2)

Layer thickness: without form max. 80 mm. In form 100 mm

For further information, see https://www.saint-gobain.dk/produkt/weber-toerbeton-0-8-mm

#### Market:

Denmark

## Reference service life, product

The reference service life of the product is similar to the service life of the building.

#### Reference service life, building

60 years

## LCA: Calculation rules

#### **Declared unit:**

1 kg weber tørbeton 0-8 mm

#### **Cut-off criteria:**

All major raw materials and all the essential energy is included. The production processes for raw materials and energy flows with very small amounts (less than 1%) are not included. These cut-off criteria do not apply for hazardous materials and substances.

#### **Allocation:**

The allocation is made in accordance with the provisions of EN 15804. Incoming energy and water and waste production in-house is allocated equally among all products through mass allocation. Effects of primary production of recycled materials is allocated to the main product in which the material was used. The recycling process and transportation of the material is allocated to this analysis.

# Data quality:

Specific data for the product composition are provided by the manufacturer. The data represent the production of the declared product and were collected for EPD development in the year of study. Background data is based on EPDs according to EN 15804 and different LCA databases. The data quality of the raw materials in A1 is presented in the table below.

| Materials | Source                 | Data quality | Year |
|-----------|------------------------|--------------|------|
| Aggregate | ecoinvent 3.6          | Database     | 2019 |
| Cement    | ecoinvent 3.6          | Database     | 2019 |
| Packaging | ecoinvent 3.6          | Database     | 2019 |
| Packaging | Modified ecoinvent 3.6 | Database     | 2019 |




# System boundaries (X=included, MND=module not declared, MNR=module not relevant)

|                  | Product stag | ge            |           | uction<br>on stage |     |             |        | Use stage   |               |                              |                          |                                   | End of life stage |                     |          | Beyond the system boundaries           |
|------------------|--------------|---------------|-----------|--------------------|-----|-------------|--------|-------------|---------------|------------------------------|--------------------------|-----------------------------------|-------------------|---------------------|----------|--|
| Raw<br>materials | Transport    | Manufacturing | Transport | Assembly           | Use | Maintenance | Repair | Replacement | Refurbishment | Operational<br>energy<br>use | Operational<br>water use | De-<br>construction<br>demolition | Transport         | Waste<br>processing | Disposal | Reuse-Recovery-<br>Recycling-potential |
| A1               | A2           | A3            | A4        | A5                 | B1  | B2          | В3     | B4          | B5            | В6                           | В7                       | C1                                | C2                | C3                  | C4       | D                                      |
| X                | X            | X             | X         | X                  | MNR | MNR         | MNR    | MNR         | MNR           | MNR                          | MNR                      | X                                 | Χ                 | X                   | X        | X                                      |

# **System boundary:**

All processes from raw material extraction, product transport, the construction site, assembly, end of product life and beyond the system boundaries are included in the analysis.

The flow chart below illustrates the system boundaries for the full life cycle analysis.



# Additional technical information:



# LCA: Scenarios and additional technical information

The following information describe the scenarios in the different modules of the EPD.

| Transport from production place to user (A4)                                       | Capacity utilisation<br>(incl. return) % | Distance (km) | Fuel/Energy Consumption | Unit  | Value<br>(Liter/tonne) |
|--|--|---------------|-------------------------|-------|------------------------|
| Truck, 16-32 tonnes, EURO 5 (km)   | 36,7 %                                   | 50            | 0,044                   | l/tkm | 2,20                   |
| Assembly (A5)  | Unit                                     | Value         |                         |       |                        |
| Electricity, Denmark (kWh)   | kWh/DU                                   | 0,00          |                         |       |                        |
| Waste, packaging, pallet, EUR wooden pallet, reusable, to average treatment (kg)   | kg                                       | 0,02          |                         |       |                        |
| Waste, packaging, paper bag, to average treatment (kg)                             | kg                                       | 0,01          |                         |       |                        |
| Waste, packaging, plastic (LDPE), to average treatment (kg)                        | kg                                       | 0,06          |                         |       |                        |
| Water, tap water (L)   | kg/DU                                    | 0,10          |                         |       |                        |
| De-construction demolition (C1)  | Unit                                     | Value         |                         |       |                        |
| Demolition of building per kg of cement-based product (kg)                         | kg/DU                                    | 1,00          |                         |       |                        |
| Transport to waste processing (C2)   | Capacity utilisation<br>(incl. return) % | Distance (km) | Fuel/Energy Consumption | Unit  | Value<br>(Liter/tonne) |
| Truck, 16-32 tonnes, EURO 5 (km)   | 36,7 %                                   | 30            | 0,044                   | l/tkm | 1,32                   |
| Waste processing (C3)  | Unit                                     | Value         |                         |       |                        |
| Waste treatment of cement-based product after demolition (kg)                      | kg                                       | 0,90          |                         |       |                        |
| Disposal (C4)  | Unit                                     | Value         |                         |       |                        |
| Disposal of cement-based product in landfill (kg                                   | kg                                       | 0,10          |                         |       |                        |
| Benefits and loads beyond the system boundaries (D)                                | Unit                                     | Value         |                         |       |                        |
| Substitution of primary aggregates with crushed recycled cement-based products (kg | kg                                       | 0,90          |                         |       |                        |



## **LCA: Results**

The LCA results are presented below for the declared unit defined on page 2 of the EPD document.

| Enviro   | Environmental impact             |                        |           |          |          |          |          |          |          |           |  |  |
|----------|----------------------------------|------------------------|-----------|----------|----------|----------|----------|----------|----------|-----------|--|--|
|          | Indicator                        | Unit                   | A1-A3     | A4       | A5       | C1       | C2       | C3       | C4       | D         |  |  |
|          | GWP-total                        | kg CO <sub>2</sub> -eq | 3,17E-01  | 8,34E-03 | 5,04E-02 | 4,00E-03 | 5,00E-03 | 6,47E-04 | 8,21E-04 | -2,10E-03 |  |  |
|          | GWP-fossil                       | kg CO <sub>2</sub> -eq | 3,61E-01  | 8,33E-03 | 5,54E-03 | 4,00E-03 | 5,00E-03 | 6,38E-04 | 8,20E-04 | -2,06E-03 |  |  |
|          | GWP-biogenic                     | kg CO <sub>2</sub> -eq | -4,42E-02 | 3,40E-06 | 4,49E-02 | 7,50E-07 | 2,04E-06 | 5,52E-06 | 9,57E-07 | -4,11E-05 |  |  |
|          | GWP-Iuluc                        | kg CO <sub>2</sub> -eq | 2,47E-04  | 2,91E-06 | 9,80E-07 | 3,15E-07 | 1,75E-06 | 8,83E-07 | 2,01E-07 | -1,39E-06 |  |  |
| ٨        | ODP                              | kg CFC11 -eq           | 1,68E-08  | 1,90E-09 | 3,44E-10 | 8,64E-10 | 1,14E-09 | 1,25E-10 | 3,10E-10 | -3,75E-10 |  |  |
| Œ        | АР                               | mol H+ -eq             | 1,29E-03  | 3,41E-05 | 8,59E-06 | 4,19E-05 | 2,04E-05 | 5,17E-06 | 7,29E-06 | -1,85E-05 |  |  |
| -        | EP-FreshWater                    | kg P -eq               | 9,20E-06  | 6,55E-08 | 4,45E-08 | 1,46E-08 | 3,93E-08 | 4,03E-08 | 9,29E-09 | -5,47E-08 |  |  |
| -        | EP-Marine                        | kg N -eq               | 2,71E-04  | 1,01E-05 | 6,19E-06 | 1,85E-05 | 6,06E-06 | 1,51E-06 | 2,71E-06 | -6,43E-06 |  |  |
| -        | EP-Terrestial                    | mol N -eq              | 3,07E-03  | 1,12E-04 | 2,89E-05 | 2,00E-04 | 6,70E-05 | 1,74E-05 | 2,99E-05 | -7,55E-05 |  |  |
|          | POCP                             | kg NMVOC -eq           | 1,13E-03  | 3,42E-05 | 8,95E-06 | 5,57E-05 | 2,05E-05 | 4,67E-06 | 8,56E-06 | -1,99E-05 |  |  |
|          | ADP-minerals&metals <sup>1</sup> | kg Sb -eq              | 2,72E-06  | 2,26E-07 | 3,40E-08 | 6,14E-09 | 1,35E-07 | 8,10E-09 | 7,38E-09 | -1,83E-07 |  |  |
| <b>A</b> | ADP-fossil <sup>1</sup>          | MJ                     | 6,44E+00  | 1,26E-01 | 2,78E-02 | 5,51E-02 | 7,54E-02 | 1,98E-02 | 2,25E-02 | -3,48E-02 |  |  |
| %        | WDP <sup>1</sup>                 | m <sup>3</sup>         | 1,21E+01  | 1,20E-01 | 1,60E-01 | 1,17E-02 | 7,19E-02 | 2,19E+00 | 1,39E-01 | -1,63E+00 |  |  |

GWP-total = Global Warming Potential total; GWP-fossil = Global Warming Potential fossil fuels; GWP-biogenic = Global Warming Potential biogenic; GWP-luluc = Global Warming Potential land use and land use change; ODP = Depletion potential of the stratospheric ozone layer; AP = Acidification potential, Accumulated Exceedance; EP-freshwater = Eutrophication potential, fraction of nutrients reaching freshwater end compartment: EP-marine = Eutrophication potential, fraction of nutrients reaching marine end compartment; EP-terrestrial = Eutrophication potential, Accumulated Exceedance; POCP = Formation potential of tropospheric ozone; ADP-minerals&metals = Abiotic depletion potential for non-fossil resources; ADP-fossil = Abiotic depletion for fossil resources potential; WDP = Water (user) deprivation potential, deprivation-weighted water consumption

# **Remarks to environmental impacts**

<sup>&</sup>quot;Reading example: 9,0 E-03 = 9,0\*10-3 = 0,009"

<sup>\*</sup>INA Indicator Not Assessed

<sup>1.</sup> The results of this environmental impact indicator shall be used with care as the uncertainties on these results are high or as there is limited experienced with the indicator



| Addition    | Additional environmental impact indicators |                   |          |          |          |          |          |          |          |           |  |
|-------------|--|-------------------|----------|----------|----------|----------|----------|----------|----------|-----------|--|
| In          | dicator                                    | Unit              | A1-A3    | A4       | A5       | C1       | C2       | C3       | C4       | D         |  |
|             | PM   | Disease incidence | 1,05E-08 | 6,00E-10 | 1,31E-10 | 5,07E-09 | 3,60E-10 | 8,30E-11 | 1,55E-10 | -3,95E-10 |  |
|             | IRP <sup>2</sup>                           | kgBq U235 -eq     | 1,11E-02 | 5,49E-04 | 1,28E-04 | 2,40E-04 | 3,30E-04 | 3,33E-04 | 1,03E-04 | -3,20E-04 |  |
|             | ETP-fw <sup>1</sup>                        | CTUe              | 3,95E+00 | 9,26E-02 | 3,12E-02 | 3,01E-02 | 5,55E-02 | 1,41E-02 | 1,23E-02 | -3,59E-02 |  |
| 45.<br>**** | HTP-c <sup>1</sup>                         | CTUh              | 8,90E-11 | 0,00E+00 | 1,00E-12 | 1,00E-12 | 0,00E+00 | 1,00E-12 | 0,00E+00 | -1,00E-12 |  |
| 26 D        | HTP-nc <sup>1</sup>                        | CTUh              | 2,96E-09 | 1,00E-10 | 3,10E-11 | 2,80E-11 | 6,00E-11 | 1,20E-11 | 9,00E-12 | -4,40E-11 |  |
|             | SQP <sup>1</sup>                           | dimensionless     | 3,48E+00 | 8,66E-02 | 4,52E-02 | 6,69E-03 | 5,20E-02 | 1,12E-02 | 8,68E-02 | 7,90E-02  |  |

PM = Particulate Matter emissions; IRP = Ionizing radiation – human health; ETP-fw = Eco toxicity – freshwater; HTP-c = Human toxicity – cancer effects; HTP-nc = Human toxicity – non cancer effects; SQP = Potential Soil Quality Index (dimensionless)

<sup>&</sup>quot;Reading example: 9,0 E-03 = 9,0\*10-3 = 0,009" \*INA Indicator Not Assessed

<sup>1.</sup> The results of this environmental impact indicator shall be used with care as the uncertainties on these results are high or as there is limited experienced with the

<sup>2.</sup> This impact category deals mainly with the eventual impact of low dose ionizing radiation on human health of the nuclear fuel cycle. It does not consider effects due to possible nuclear accidents, occupational exposure nor due to radioactive waste disposal in underground facilities. Potential ionizing radiation from the soil, from radon and from some construction materials is also not measured by this indicator.



| Resource use | Resource use |       |          |          |           |          |          |           |          |           |  |  |
|--------------|--------------|-------|----------|----------|-----------|----------|----------|-----------|----------|-----------|--|--|
|              | ndicator     | Unit  | A1-A3    | A4       | A5        | C1       | C2       | C3        | C4       | D         |  |  |
| i ji         | PERE         | МЈ    | 6,40E-01 | 1,77E-03 | 4,73E-03  | 3,00E-04 | 1,06E-03 | 1,02E-02  | 8,07E-04 | -8,16E-03 |  |  |
|              | PERM         | МЈ    | 3,99E-01 | 0,00E+00 | -3,99E-01 | 0,00E+00 | 0,00E+00 | 0,00E+00  | 0,00E+00 | 0,00E+00  |  |  |
| ್ಕ್ಯ         | PERT         | МЈ    | 1,04E+00 | 1,77E-03 | -1,05E-01 | 3,00E-04 | 1,06E-03 | 1,02E-02  | 8,07E-04 | -8,16E-03 |  |  |
|              | PENRE        | МЈ    | 3,76E+00 | 1,26E-01 | 2,79E-02  | 5,51E-02 | 7,54E-02 | 1,98E-02  | 2,25E-02 | -3,68E-02 |  |  |
| el.          | PENRM        | МЈ    | 2,68E+00 | 0,00E+00 | -2,68E+00 | 0,00E+00 | 0,00E+00 | 0,00E+00  | 0,00E+00 | 0,00E+00  |  |  |
| <b>I</b>     | PENRT        | МЈ    | 6,44E+00 | 1,26E-01 | -2,65E+00 | 5,51E-02 | 7,54E-02 | 1,98E-02  | 2,25E-02 | -3,68E-02 |  |  |
|              | SM           | kg    | 2,78E-04 | 0,00E+00 | 4,07E-06  | 0,00E+00 | 0,00E+00 | 1,70E-05  | 9,78E-06 | -7,04E-05 |  |  |
| 2            | RSF          | МЈ    | 1,13E-02 | 6,35E-05 | 1,75E-04  | 0,00E+00 | 3,81E-05 | 2,07E-04  | 1,68E-05 | -1,67E-04 |  |  |
|              | NRSF         | МЈ    | 2,24E-03 | 2,27E-04 | 4,89E-05  | 0,00E+00 | 1,36E-04 | -1,28E-05 | 3,62E-05 | -1,71E-04 |  |  |
| <b>⊗</b>     | FW           | $m^3$ | 5,41E-03 | 1,32E-05 | 1,32E-04  | 2,83E-06 | 7,94E-06 | 3,40E-05  | 2,77E-05 | -1,28E-03 |  |  |

PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non renewable primary energy resources used as raw materials; PENRM = Use of non renewable primary energy resources; SM = Use of secondary materials; PENRM = Use of renewable secondary fuels; NRSF = Use of non-renewable secondary fuels; FW = Net use of fresh water

<sup>&</sup>quot;Reading example: 9,0 E-03 = 9,0\*10-3 = 0,009" \*INA Indicator Not Assessed



| End of life - Waste |         |      |          |          |          |          |          |          |          |           |  |
|---------------------|---------|------|----------|----------|----------|----------|----------|----------|----------|-----------|--|
| Inc                 | dicator | Unit | A1-A3    | A4       | A5       | C1       | C2       | C3       | C4       | D         |  |
| ā                   | HWD     | kg   | 5,98E-04 | 6,41E-06 | 7,46E-07 | 1,62E-06 | 3,85E-06 | 1,98E-06 | 1,59E-06 | -8,39E-06 |  |
| Ū                   | NHWD    | kg   | 3,40E-02 | 6,01E-03 | 7,09E-02 | 6,52E-05 | 3,60E-03 | 6,26E-05 | 1,00E-01 | -2,55E-04 |  |
| <b>3</b>            | RWD     | kg   | 1,10E-05 | 8,57E-07 | 1,86E-08 | 3,82E-07 | 5,14E-07 | 2,10E-07 | 1,47E-07 | -2,76E-07 |  |

HWD = Hazardous waste disposed; NHWD = Non-hazardous waste disposed; RWD = Radioactive waste disposed

"Reading example: 9,0 E-03 = 9,0\*10-3 = 0,009" \*INA Indicator Not Assessed

| End of life - Output flow |     |      |          |          |          |          |          |          |          |           |  |
|---------------------------|-----|------|----------|----------|----------|----------|----------|----------|----------|-----------|--|
| Indicat                   | tor | Unit | A1-A3    | A4       | A5       | C1       | C2       | C3       | C4       | D         |  |
| <b>∅</b> D                | CRU | kg   | 1,22E-02 | 0,00E+00  |  |
| \$>                       | MFR | kg   | 3,46E-04 | 0,00E+00 | 3,88E-02 | 0,00E+00 | 0,00E+00 | 8,99E-01 | 8,91E-06 | -1,65E-06 |  |
| DF                        | MER | kg   | 8,20E-05 | 0,00E+00 | 4,73E-04 | 0,00E+00 | 0,00E+00 | 2,07E-06 | 1,68E-07 | -6,16E-05 |  |
| 50                        | EEE | MJ   | 4,10E-04 | 0,00E+00 | 8,63E-04 | 0,00E+00 | 0,00E+00 | 3,55E-06 | 1,39E-05 | -1,49E-05 |  |
| D                         | EET | MJ   | 6,20E-03 | 0,00E+00 | 1,31E-02 | 0,00E+00 | 0,00E+00 | 5,37E-05 | 2,10E-04 | -2,25E-04 |  |

CRU = Components for re-use; MFR = Materials for recycling; MER = Materials for energy recovery; EEE = Exported energy electrical; EET = Exported energy thermal

"Reading example: 9,0 E-03 = 9,0\*10-3 = 0,009" \*INA Indicator Not Assessed

| Biogenic Carbon Content |                     |  |  |  |  |  |  |  |
|-------------------------|---------------------|--|--|--|--|--|--|--|
| Unit                    | At the factory gate |  |  |  |  |  |  |  |
| kg C                    | 0,00E+00            |  |  |  |  |  |  |  |
| kg C                    | 1,22E-02            |  |  |  |  |  |  |  |
|                         | kg C                |  |  |  |  |  |  |  |

Note: 1 kg biogenic carbon is equivalent to 44/12 kg CO2



# **Additional requirements**

# Greenhouse gas emissions from the use of electricity in the manufacturing phase

National production mix from import, low voltage (production of transmission lines, in addition to direct emissions and losses in grid) of applied electricity for the manufacturing process (A3).

| Electricity mix   | Data source   | Amount | Unit         |
|---|---------------|--------|--------------|
| Renewable electricity Saint-Gobain, based on 100% hydro power, with Guarantee of Origin from LOS 2021 (kWh) | ecoinvent 3.6 | 4,26   | g CO2-eq/kWh |

## **Dangerous substances**

The product contains dangerous substances, more than 0,1% by weight, given by the REACH Candidate List or the Norwegian Priority list, see table.

|                     | Name | CASNo      | Amount  |
|---------------------|------|------------|---------|
| Natural quartz sand |      | 14808-60-7 | 75-100% |
| Portland Cement     |      | 65997-15-1 | 10-20%  |
| Flue dust, cement   |      | 68475-76-3 | 2-3%    |

#### **Indoor environment**

No test performed

# **Additional Environmental Information**

| Additional environmental impact indicators required in NPCR Part A for construction products |                        |          |          |          |          |          |          |          |           |
|--|------------------------|----------|----------|----------|----------|----------|----------|----------|-----------|
| Indicator  | Unit                   | A1-A3    | A4       | A5       | C1       | C2       | C3       | C4       | D         |
| GWPIOBC  | kg CO <sub>2</sub> -eq | 1,14E+00 | 8,34E-03 | 5,50E-04 | 4,00E-03 | 5,00E-03 | 0,00E+00 | 0,00E+00 | -2,20E-03 |

GWP-IOBC: Global warming potential calculated according to the principle of instantaneous oxidation. In order to increase the transparency of biogenic carbon contribution to climate impact, the indicator GWP-IOBC is required as it declares climate impacts calculated according to the principle of instantaneous oxidation. GWP-IOBC is also referred to as GWP-GHG in context to Swedish public procurement legislation.



# **Bibliography**

ISO 14025:2010 Environmental labels and declarations - Type III environmental declarations - Principles and procedures.

ISO 14044:2006 Environmental management - Life cycle assessment - Requirements and guidelines.

EN 15804:2012 + A2:2019 Environmental product declaration - Core rules for the product category of construction products.

ISO 21930:2017 Sustainability in buildings and civil engineering works - Core rules for environmental product declarations of construction products.

ecoinvent v3, Allocation, cut-off by classification, Swiss Centre of Life Cycle Inventories.

Iversen et al., (2021) eEPD v2021.09 Background information for EPD generator tool system verification, LCA.no Report number: 07.21

Iversen et al., (2019) EPD generator for Saint-Gobain Weber and Scanspac - Background information and LCA data, LCA.no report number 05.18 Iversen et al., (2020) EPD generator for Saint-Gobain Weber Nordics and Scanspac Background information for customer application,

and LCA data – Supplementary report for modules A5, C and D, LCA.no report number 04.20

NPCR Part A: Construction products and services. Ver. 2.0, 24.03.2021 EPD Norway.

NPCR 009 Part B for technical-chemical products. Ver. 2.0 October 2021, EPD-Norge.

|                            | Program operator and publisher              | Phone: +47 23 08 80 00                          |
|----------------------------|---|---|
| © epd-norway               | The Norwegian EPD Foundation                | e-mail: post@epd-norge.no                       |
| Global Program Operator    | Post Box 5250 Majorstuen, 0303 Oslo, Norway | web: www.epd-norge.no                           |
|                            | Owner of the declaration:                   | Phone: 004542127774                             |
| <b>Sweber</b> SAINT-GOBAIN | Saint Gobain Denmark A/S -Weber             | e-mail: Eirini.Adamopoulou@saint-<br>gobain.com |
|                            | Silovej 3, Dk 2690 Karlslunde               | web: www.weber.dk/home.html                     |
|                            | Author of the Life Cycle Assessment         | Phone: +47 916 50 916                           |
| (LCA)                      | LCA.no AS                                   | e-mail: post@lca.no                             |
| .no                        | Dokka 6B, 1671                              | web: www.lca.no                                 |
|                            | Developer of EPD generator                  | Phone: +47 916 50 916                           |
| (LCA)                      | LCA.no AS                                   | e-mail: post@lca.no                             |
| no                         | Dokka 6B,1671 Kråkerøy                      | web: www.lca.no                                 |
| ECO PLATFORM               | ECO Platform                                | web: www.eco-platform.org                       |
| VERIFIED                   | ECO Portal                                  | web: ECO Portal                                 |