

# Environmental product declaration

in accordance with ISO 14025 and EN 15804+A2

## Marlon Shortcrete Wet 0-2 mm, 0-4 mm, 0-4 mm with fibre





**Owner of the declaration:** Marlon Tørmørtel A/S

**Product:** Marlon Shortcrete Wet 0-2 mm, 0-4 mm, 0-4 mm with fibre

Declared unit:

1 kg

This declaration is based on Product Category Rules: CEN Standard EN 15804:2012+A2:2019 serves as core PCR NPCR 009:2021 Part B for Technical - Chemical products for building and construction industry **Program operator:** The Norwegian EPD Foundation

**Declaration number:** 

NEPD-5269-4603-EN

**Registration number:** 

NEPD-5269-4603-EN

Issue date: 25.10.2023

Valid to: 25.10.2028

**EPD Software:** LCA.no EPD generator ID: 100364

The Norwegian EPD Foundation



## **General information**

Product Marlon Shortcrete Wet 0-2 mm, 0-4 mm, 0-4 mm with fibre

### Program operator:

Post Box 5250 Majorstuen, 0303 Oslo, Norway The Norwegian EPD Foundation Phone: +47 23 08 80 00 web: post@epd-norge.no

Declaration number: NEPD-5269-4603-EN

#### Owner of the declaration:

Marlon Tørmørtel A/S Contact person: Bente Vesterager Phone: +45 7575 4300 e-mail: marlon@marlon.dk

Manufacturer: Marlon Tørmørtel A/S

## Place of production:

Marlon Tørmørtel A/S Virkelyst 20 8740 Brædstrup, Denmark

Management system:

CEN Standard EN 15804:2012+A2:2019 serves as core PCR NPCR 009:2021 Part B for Technical - Chemical products for building and construction industry

This declaration is based on Product Category Rules:

#### Statement of liability:

The owner of the declaration shall be liable for the underlying information and evidence. EPD Norway shall not be liable with respect to manufacturer information, life cycle assessment data and evidences.

#### Declared unit:

1 kg Marlon Shortcrete Wet 0-2 mm, 0-4 mm, 0-4 mm with fibre

**Declared unit with option:** A1-A3,A4,A5,C1,C2,C3,C4,D

Functional unit: No functional unit declared

#### General information on verification of EPD from EPD tools:

Independent verification of data, other environmental information and the declaration according to ISO 14025:2010, § 8.1.3 and § 8.1.4. Verification of each EPD is made according to EPD-Norway's guidelines for verification and approval requiring that tools are i) integrated into the company's environmental management system, ii) the procedures for use of the EPD tool are approved by EPD-Norway, and iii) the process is reviewed annually by an independent third party verifier. See Appendix G of EPD-Norway's General Programme Instructions for further information on EPD tools

#### Verification of EPD tool:

Independent third party verification of the EPD tool, background data and test-EPD in accordance with EPDNorway's procedures and guidelines for verification and approval of EPD tools. NEPDT73 Third party verifier: Organisation no: DK13254079

Issue date: 25.10.2023

Valid to: 25.10.2028

#### Year of study:

2022

#### Comparability:

EPD of construction products may not be comparable if they not comply with EN 15804 and seen in a building context.

#### **Development and verification of EPD:**

The declaration is created using EPD tool lca.tools ver EPD2022.03, developed by LCA.no. The EPD tool is integrated in the company's management system, and has been approved by EPD Norway.

Developer of EPD: Bente Vesterager

Reviewer of company-specific input data and EPD: Maria Hosbjerg Christensen

Approved:

Håkon Hauan Managing Director of EPD-Norway

Linda Høibye, Life Cycle Assessment Consulting (no signature required)



## Product

#### **Product description:**

Marlon Shotcrete Wet is a pumpable, cement-based pre-mixed dry mortar product that is used with the "wet method". Marlon Shotcrete Wet is used for the repair of horizontal and vertical surfaces that are typically concrete constructions on bridges, beams, slabs and columns and for the repair and renovation of balconies, facades and other places with a concrete surface. See link for more information: https://marlon.dk/en/products/concrete-renovation/shotcrete-wet.

#### **Product specification**

#### This EPD includes:

Item number 1000340 Marlon Shortcrete Wet 0-2 mm Item number 1000345 Marlon Shortcrete Wet 0-4 mm Item number 1000347 Marlon Shortcrete Wet 0-4 mm with fibre

Materials	Value	Unit
Fillers/Aggregates	55-75	%
Binders	20-35	%
Additives	0-2	%
Packaging	2-3	%

#### Technical data:

Marlon Shortcrete Wet is produced and declared according to DS/EN 1504-3. Compressive strength> 45 MPa, Adhesive Bond >= 2,0 MPa Chloride ion content =< 0,05%

See all declared characteristics at https://marlon.dk/en.

## Market:

Denmark

#### **Reference service life, product**

The reference service life of the product is similar to the service life of the building.

#### Reference service life, building

> 50 years.

#### **LCA: Calculation rules**

#### Declared unit:

1 kg Marlon Shortcrete Wet 0-2 mm, 0-4 mm, 0-4 mm with fibre

#### Cut-off criteria:

All major raw materials and all the essential energy is included. The production processes for raw materials and energy flows with very small amounts (less than 1%) are not included. These cut-off criteria do not apply for hazardous materials and substances.

#### **Allocation:**

The allocation is made in accordance with the provisions of EN 15804. Incoming energy and water and waste production in-house is allocated equally among all products through mass allocation. Effects of primary production of recycled materials is allocated to the main product in which the material was used. The recycling process and transportation of the material is allocated to this analysis.

#### Data quality:

Specific data for the product composition are provided by the manufacturer. The data represent the production of the declared product and were collected for EPD development in the year of study. Background data is based on EPDs according to EN 15804 and different LCA databases. The data quality of the raw materials in A1 is presented in the table below.

Materials	Source	Data quality	Year
Additives	ecoinvent 3.6	Database	2019
Cement	ecoinvent 3.6	Database	2019
Packaging - Plastic	ecoinvent 3.6	Database	2019
Quartz sand	ecoinvent 3.6	Database	2019
Rheology modifier	ecoinvent 3.6	Database	2019
Flyash	MD-20026-DA	EPD	2020
Packaging - Cardboard	Modified ecoinvent 3.6	Database	2019
Packaging - Pallet	Modified ecoinvent 3.6	Database	2019




## System boundaries (X=included, MND=module not declared, MNR=module not relevant)

	Product sta	ge		uction on stage		Use stage					End of life stage				Beyond the system boundaries	
Raw materials	Transport	Manufacturing	Transport	Assembly	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy use	Operational water use	De- construction demolition	Transport	Waste processing	Disposal	Reuse-Recovery- Recycling-potential
A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
Х	Х	Х	Х	Х	MND	MND	MND	MND	MND	MND	MND	Х	Х	Х	Х	Х

#### System boundary:

All processes from raw material extraction, to production, transport to the construction site and assembly, are included in the analysis as well as end of life stage and phases beyond the system boundary.



#### Additional technical information:

The product can be delivered in bulk, Big bag or plastic bags. The calculation includes data for plastic bags, as this is the most frequent used form of packaging.



## LCA: Scenarios and additional technical information

The following information describe the scenarios in the different modules of the EPD.

Transport from production place to user (A4)	Capacity utilisation (incl. return) %	Distance (km)	Fuel/Energy Consumption	Unit	Value (Liter/tonne)
Truck, 16-32 tonnes, EURO 6 (km) - Europe	36,7 %	160	0,043	l/tkm	6,88
Assembly (A5)	Unit	Value			
	kg/DU	0,00			
Electricity, Denmark (kWh)	kWh/DU	0,01			
Waste, concrete, to landfill (kg)	kg/DU	0,02			
Waste, packaging, corrugated board box, to average treatment (kg) - A5, inkl. 85 km transp.	kg/DU	0,00			
Waste, packaging, pallet, EUR wooden pallet, reusable, average treatment (kg) - A5, inkl. 85 km transp.	kg	0,02			
Waste, packaging, plastic film/bags (LDPE), to average treatment (kg) - A5, inkl. 85 km transp.	kg/DU	0,00			
Water, tap water (kg)	kg/DU	0,11			
De-construction demolition (C1)	Unit	Value			
Demolition of building per kg of cement-based product, C1 (kg)	kg/DU	1,00			
Transport to waste processing (C2)	Capacity utilisation (incl. return) %	Distance (km)	Fuel/Energy Consumption	Unit	Value (Liter/tonne)
Truck, 16-32 tonnes, EURO 5 (km) - Europe	36,7 %	50	0,044	l/tkm	2,20
Waste processing (C3)	Unit	Value			
Waste treatment of cement-based product after demolition, C3 (kg)	kg	0,90			
Disposal (C4)	Unit	Value			
Disposal of cement-based product in landfill (kg)	kg	0,10			
Benefits and loads beyond the system boundaries (D)	Unit	Value			
Substitution of primary aggregates with crushed recycled cement-based products (kg)	kg	0,90			



## LCA: Results

The LCA results are presented below for the declared unit defined on page 2 of the EPD document.

Enviro	nmental impact									
	Indicator	Unit	A1-A3	A4	A5	C1	C2	C3	C4	D
P	GWP-total	kg CO <sub>2</sub> -eq	2,44E-01	2,68E-02	3,77E-02	4,00E-03	8,54E-03	6,48E-04	8,22E-04	-2,10E-03
P	GWP-fossil	kg CO <sub>2</sub> -eq	2,78E-01	2,68E-02	3,09E-03	4,00E-03	8,53E-03	6,39E-04	8,20E-04	-2,06E-03
P	GWP-biogenic	kg CO <sub>2</sub> -eq	-3,45E-02	1,11E-05	3,46E-02	7,50E-07	3,48E-06	5,52E-06	9,58E-07	-4,11E-05
P	GWP-luluc	kg CO <sub>2</sub> -eq	6,72E-05	9,52E-06	3,71E-06	3,15E-07	2,98E-06	8,84E-07	2,02E-07	-1,39E-06
Ò	ODP	kg CFC11 -eq	1,38E-08	6,06E-09	2,04E-10	8,64E-10	1,95E-09	1,26E-10	3,11E-10	-3,75E-10
Ê	AP	mol H+ -eq	9,84E-04	7,69E-05	1,26E-05	4,19E-05	3,49E-05	5,17E-06	7,30E-06	-1,85E-05
	EP-FreshWater	kg P -eq	3,67E-06	2,14E-07	2,21E-07	1,46E-08	6,70E-08	4,04E-08	9,30E-09	-5,48E-08
	EP-Marine	kg N -eq	2,53E-04	1,52E-05	2,42E-06	1,85E-05	1,03E-05	1,52E-06	2,71E-06	-6,43E-06
	EP-Terrestial	mol N -eq	2,91E-03	1,70E-04	3,22E-05	2,00E-04	1,14E-04	1,75E-05	2,99E-05	-7,56E-05
	РОСР	kg NMVOC -eq	7,66E-04	6,52E-05	7,50E-06	5,57E-05	3,50E-05	4,68E-06	8,56E-06	-2,00E-05
-	ADP-minerals&metals <sup>1</sup>	kg Sb -eq	1,10E-06	7,39E-07	3,37E-08	6,14E-09	2,31E-07	8,11E-09	7,39E-09	-1,83E-07
A	ADP-fossil <sup>1</sup>	MJ	1,50E+00	4,04E-01	4,22E-02	5,51E-02	1,29E-01	1,98E-02	2,26E-02	-3,49E-02
%	WDP <sup>1</sup>	m <sup>3</sup>	6,72E+00	3,91E-01	5,82E-01	1,17E-02	1,23E-01	2,19E+00	1,39E-01	-1,63E+00

GWP-total = Global Warming Potential total; GWP-fossil = Global Warming Potential fossil fuels; GWP-biogenic = Global Warming Potential biogenic; GWP-luluc = Global Warming Potential land use and land use change; ODP = Depletion potential of the stratospheric ozone layer; AP = Acidification potential, Accumulated Exceedance; EP-freshwater = Eutrophication potential, fraction of nutrients reaching freshwater end compartment: EP-marine = Eutrophication potential, fraction of nutrients reaching marine end compartment; EP-terrestrial = Eutrophication potential, Accumulated Exceedance; POCP = Formation potential of tropospheric ozone; ADP-minerals&metals = Abiotic depletion potential for non-fossil resources; ADP-fossil = Abiotic depletion for fossil resources potential; WDP = Water (user) deprivation potential, deprivation-weighted water consumption

"Reading example: 9,0 E-03 = 9,0\*10-3 = 0,009" \*INA Indicator Not Assessed

1. The results of this environmental impact indicator shall be used with care as the uncertainties on these results are high or as there is limited experienced with the indicator

**Remarks to environmental impacts** 



Addition	al environme	ental impact indicators								
In	dicator	Unit	A1-A3	A4	A5	C1	C2	C3	C4	D
	PM	Disease incidence	5,64E-09	1,64E-09	9,20E-11	5,07E-09	6,14E-10	8,30E-11	1,56E-10	-3,95E-10
(m) B	IRP <sup>2</sup>	kgBq U235 -eq	6,33E-03	1,77E-03	2,05E-04	2,40E-04	5,62E-04	3,33E-04	1,03E-04	-3,20E-04
	ETP-fw <sup>1</sup>	CTUe	2,14E+00	3,00E-01	6,65E-02	3,01E-02	9,47E-02	1,41E-02	1,23E-02	-3,59E-02
44. *	HTP-c <sup>1</sup>	CTUh	5,40E-11	0,00E+00	1,00E-12	1,00E-12	0,00E+00	1,00E-12	1,00E-12	-2,00E-12
48	HTP-nc <sup>1</sup>	CTUh	2,47E-09	3,28E-10	4,70E-11	2,80E-11	1,02E-10	1,30E-11	9,00E-12	-4,40E-11
	SQP <sup>1</sup>	dimensionless	1,45E+00	2,83E-01	7,00E-02	6,69E-03	8,87E-02	1,12E-02	8,69E-02	7,91E-02

PM = Particulate Matter emissions; IRP = Ionizing radiation – human health; ETP-fw = Eco toxicity – freshwater; HTP-c = Human toxicity – cancer effects; HTP-nc = Human toxicity – non cancer effects; SQP = Potential Soil Quality Index (dimensionless)

"Reading example: 9,0 E-03 = 9,0\*10-3 = 0,009" \*INA Indicator Not Assessed

1. The results of this environmental impact indicator shall be used with care as the uncertainties on these results are high or as there is limited experienced with the indicator

2. This impact category deals mainly with the eventual impact of low dose ionizing radiation on human health of the nuclear fuel cycle. It does not consider effects due to possible nuclear accidents, occupational exposure nor due to radioactive waste disposal in underground facilities. Potential ionizing radiation from the soil, from radon and from some construction materials is also not measured by this indicator.



Resource use										
	ndicator	Unit	A1-A3	A4	A5	C1	C2	C3	C4	D
i S	PERE	MJ	2,37E-01	5,79E-03	2,98E-02	3,00E-04	1,82E-03	1,02E-02	8,08E-04	-8,16E-03
	PERM	MJ	3,16E-01	0,00E+00	-3,16E-01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
° <b>∓</b> ₃	PERT	MJ	5,53E-01	5,79E-03	1,31E-02	3,00E-04	1,82E-03	1,02E-02	8,08E-04	-8,16E-03
Ð	PENRE	MJ	1,48E+00	4,05E-01	4,22E-02	5,51E-02	1,29E-01	1,99E-02	2,26E-02	-3,68E-02
.Åa	PENRM	MJ	3,41E-02	0,00E+00	-1,98E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
IA	PENRT	MJ	1,51E+00	4,05E-01	2,24E-02	5,51E-02	1,29E-01	1,99E-02	2,26E-02	-3,68E-02
	SM	kg	2,05E-04	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
2	RSF	MJ	6,10E-03	2,07E-04	1,12E-03	0,00E+00	6,50E-05	0,00E+00	1,68E-05	-1,67E-04
	NRSF	MJ	1,80E-03	7,41E-04	2,09E-05	0,00E+00	2,32E-04	0,00E+00	3,62E-05	-1,71E-04
<u>(%</u> )	FW	m <sup>3</sup>	1,92E-03	4,33E-05	2,24E-04	2,83E-06	1,35E-05	3,40E-05	2,78E-05	-1,28E-03

PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non renewable primary energy excluding non-renewable primary energy resources; SENRE = Use of non renewable primary energy resources; SENRE = Use of secondary materials; PENRT = Total use of non renewable primary energy resources; SM = Use of secondary materials; RERT = Total use of non renewable primary energy resources; SM = Use of secondary materials; RERT = Use of renewable secondary fuels; NRSF = Use of non-renewable secondary fuels; FW = Net use of fresh water

"Reading example: 9,0 E-03 = 9,0\*10-3 = 0,009" \*INA Indicator Not Assessed



End of life - Wa	End of life - Waste												
In	dicator	Unit	A1-A3	A4	A5	C1	C2	C3	C4	D			
ß	HWD	kg	2,70E-04	2,09E-05	4,64E-06	1,62E-06	6,56E-06	1,98E-06	0,00E+00	-8,40E-06			
Ū	NHWD	kg	1,63E-02	1,97E-02	2,19E-02	6,52E-05	6,15E-03	6,26E-05	1,00E-01	-2,55E-04			
8	RWD	kg	7,66E-06	2,76E-06	1,11E-07	3,82E-07	8,77E-07	2,10E-07	0,00E+00	-2,76E-07			

HWD = Hazardous waste disposed; NHWD = Non-hazardous waste disposed; RWD = Radioactive waste disposed

"Reading example: 9,0 E-03 = 9,0\*10-3 = 0,009" \*INA Indicator Not Assessed

En	ind of life - Output flow													
	Indicat	or	Unit	A1-A3	A4	A5	C1	C2	C3	C4	D			
	ØÞ	CRU	kg	0,00E+00										
	3>	MFR	kg	7,53E-06	0,00E+00	7,47E-04	0,00E+00	0,00E+00	9,00E-01	0,00E+00	0,00E+00			
	$\triangleright \forall$	MER	kg	4,00E-09	0,00E+00	7,33E-06	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00			
	5D	EEE	MJ	4,06E-04	0,00E+00	4,99E-04	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00			
	DI	EET	MJ	6,14E-03	0,00E+00	7,54E-03	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00			

CRU = Components for re-use; MFR = Materials for recycling; MER = Materials for energy recovery; EEE = Exported energy electrical; EET = Exported energy thermal

"Reading example: 9,0 E-03 = 9,0\*10-3 = 0,009" \*INA Indicator Not Assessed

Biogenic Carbon Content	Biogenic Carbon Content									
Indicator	Unit	At the factory gate								
Biogenic carbon content in product	kg C	4,84E-05								
Biogenic carbon content in accompanying packaging	kg C	9,40E-03								

Note: 1 kg biogenic carbon is equivalent to 44/12 kg CO2



## **Additional requirements**

#### Greenhouse gas emissions from the use of electricity in the manufacturing phase

National production mix from import, low voltage (production of transmission lines, in addition to direct emissions and losses in grid) of applied electricity for the manufacturing process (A3).

Electricity mix	Data source	Amount	Unit
Electricity, Denmark (kWh)	ecoinvent 3.6	338,20	g CO2-eq/kWh

#### **Dangerous substances**

The product contains no substances given by the REACH Candidate list.

Indoor environment

#### **Additional Environmental Information**

Additional environm	Additional environmental impact indicators required in NPCR Part A for construction products										
Indicator	Indicator Unit A1-A3 A4 A5 C1 C2 C3 C4 D										
GWPIOBC	kg CO <sub>2</sub> -eq	4,23E-01	2,68E-02	3,72E-03	4,00E-03	8,54E-03	1,19E-03	0,00E+00	-2,20E-03		

GWP-IOBC: Global warming potential calculated according to the principle of instantaneous oxidation. In order to increase the transparency of biogenic carbon contribution to climate impact, the indicator GWP-IOBC is required as it declares climate impacts calculated according to the principle of instantaneous oxidation. GWP-IOBC is also referred to as GWP-GHG in context to Swedish public procurement legislation.



## Bibliography

ISO 14025:2010 Environmental labels and declarations - Type III environmental declarations - Principles and procedures.

ISO 14044:2006 Environmental management - Life cycle assessment - Requirements and guidelines.

EN 15804:2012+A2:2019 Environmental product declaration - Core rules for the product category of construction products.

ISO 21930:2017 Sustainability in buildings and civil engineering works - Core rules for environmental product declarations of construction products.

ecoinvent v3, (2019) Allocation, cut-off by classification, Swiss Centre of Life Cycle Inventories.

Iversen et al., (2021) eEPD v2021.09 Background information for EPD generator tool system verification, LCA.no Report number: 07.21 Ruttenborg, M. and Iversen, O.M.K., (2023) EPD generator for NPCR009:2021, Part B for Technical - Chemical products, Background information for EPD generator application and LCA data, LCA.no report number: 05.23.

NPCR Part A: Construction products and services. Ver. 2.0, 24.03.2021 EPD Norway.

NPCR 009 Part B for Technical - Chemical products for building and construction industry, Ver. 3.0, 06.10.2021, EPD Norway.

	and narway	Program operator and publisher		+47 23 08 80 00
	epd-norway	The Norwegian EPD Foundation	e-mail:	post@epd-norge.no
(	Global Program Operator	Post Box 5250 Majorstuen, 0303 Oslo, Norway	web:	www.epd-norge.no
	MARLON	Owner of the declaration:	Phone:	+45 7575 4300
		Marlon Tørmørtel A/S	e-mail:	marlon@marlon.dk
		Virkelyst 20, 8740 Brædstrup	web:	https://marlon.dk/
		Author of the Life Cycle Assessment	Phone:	+47 916 50 916
		LCA.no AS	e-mail:	post@lca.no
		Dokka 6B, 1671	web:	www.lca.no
	LCA	Developer of EPD generator	Phone:	+47 916 50 916
		LCA.no AS	e-mail:	post@lca.no
	no	Dokka 6B,1671 Kråkerøy	web:	www.lca.no
	ECD PLATFORM	ECO Platform	web:	www.eco-platform.org
		ECO Portal	web:	ECO Portal