

Owner of the declaration:	Fora Form AS
Program operator:	The Norwegian EPD Foundation
Publisher:	The Norwegian EPD Foundation
Declaration number:	NEPD-4202-3427-EN
Registration number:	NEPD-4202-3427-EN
ECO Platform reference number:	-
Issue date:	30.12.2022
Valid to:	30.12.2027


Knekk chair

Fora Form AS

www.epd-norge.no



tora



Sign

Håkon Hauan, CEO EPD-Norge

Key environmental indicators	Unit	Cradle to gate A1 - A3
Global warming	kg CO2 eqv	7,11
Total energy use	MJ	273,29
Amount of recycled materials	%	12,48

for verification and approval of EPD tools.

Erik Svanes, Norsus AS

(no signature required)

and test-EPD in accordance with EPDNorway's procedures and guidelines



Product

Market:

Worldwide

Product description:

With its subtle kink, the new Knekk chair allows for both reclining reflection and forward-leaning discussions. It has an elegant look, and can be used with or without armrests.

Far from ostentatious, the Knekk chair comes across as friendly and welcoming. It automatically accommodates a seated position, allowing you to lean against the table for a chat or a meal without having to push your body forward on the chair. Knekk is quite simply style and functionality uniquely expressed in solid wood. Seat pads are available for extra comfort, and chairs without armrests can be stacked.

Product specification

Technical data:

The product is tested and approved according to the following standards: NS-EN 16139:2013 / NS-EN 1022:2018

Width: 53cm Height: 80cm Depth: 59cm Seat height: 46cm

Stacks 3 pcs without armrest

7,95 kg without cardboard

Reference service life, product

15 years

Reference service life, building

Materials	kg	%	Recycled share in material (kg)	Recycled share in material (%)
Metal - Steel	0,15	1,59	0,03	20,00
Plastic - Polyoxymethylene (POM)	0,01	0,11	0,01	50,00
Wood - Solid oak	6,94	73,44	0,00	0,00
Glue for wood	0,15	1,59	0,00	0,00
Paint, solvent-based	0,70	7,41	0,00	0,00
Cardboard	1,50	15,87	1,14	76,30
Total:	9,45		1,18	

LCA: Calculation rules

Declared unit:

1 Pcs Knekk chair

Cut-off criteria:

All major raw materials and all the essential energy is included. The production processes for raw materials and energy flows with very small amounts (less than 1%) are not included. These cut-off criteria do not apply for hazardous materials and substances.

Data quality:

Specific data for the product composition are provided by the manufacturer. They represent the production of the declared product and were collected for EPD development in the year of study. Background data is based on registered EPDs according to EN 15804, Ostfold Research databases, ecoinvent and other LCA databases. The data quality of the raw materials in A1 is presented in the table below.

Materials	Source	Data quality	Year
Metal - Steel	ecoinvent 3.3	Database	2016
Cardboard	ecoinvent 3.4	Database	2017
Glue for wood	ecoinvent 3.4	Database	2017
Paint, solvent-based	ecoinvent 3.4	Database	2017
Plastic - Polyoxymethylene (POM)	ecoinvent 3.4	Database	2017
Wood - Solid oak	ecoinvent 3.6	Database	2019


Allocation:

The allocation is made in accordance with the provisions of EN 15804. Effects of primary production of recycled materials is allocated to the main product in which the material was used. The recycling process and transportation of the material is allocated to this analysis.



System boundary:

Life cycle stages included are described in figure



Additional technical information:

We want you to enjoy your furniture for many years to come. If you follow our advice in this Quality and Maintenance Manual you contribute to prolonged life of your furniture. We only use environmentally friendly materials and processes in our manufacturing unit in Ørsta Norway. Our goal is to manufacture furniture that can last for generations. All furniture made by Fora Form are made of FSC certified wood, manufactured according to ISO 14001, and has an EPD on all products. This ensures sustainability and a "cradle to cradle" philosophy. We actively work to reduce waste. All packing materials and waste are being recycled according to Norsk Gjenvinning.

Norwegian and Swedish Møbelfakta are accredited test facilities where furniture quality, strength, durability, flammability, safety, emissions and materials are tested and documented. A piece of furniture, which lives up to the three areas of requirements of Møbelfakta, has undergone extensive testing, is produced according to ethical guidelines and has been approved according to environmental requirements. Møbelfakta is a guarantee of high quality products. Almost all of Fora Forms collection is Møbelfakta approved.

Fora Form are ISO 9001 quality management, ISO 14001 environmental management and ISO 45001 occupational health and safety management certified. Sustainability is important for Fora Form.

We continuously work to sort and reduce our waste, and collaborate with Norsk Gjenvinning and Grønt Punkt (Green Dot Norway plc) regarding recycling of used packing materials. All wood is FSC certified.

Our manufacturing unit in Ørsta use electricity that is 100% originated from renewable sources.

Transportation to an average customer in Oslo is 540 km



LCA: Scenarios and additional technical information

The following information describe the scenarios in the different modules of the EPD.

Transport from production place to user (A4)

Туре	Capacity utilisation (incl. return) %	Type of vehicle	Distance km	Fuel/Energy consumption	Unit	Value (l/t)
Truck	38,8 %	Truck, 16-32 tonnes, EURO 5	540	0,044606	l/tkm	24,09
Railway					l/tkm	
Boat					l/tkm	
Other Transportation					l/tkm	

Use (B1)

•	Unit	Value
Water (L)	L/DU	1,00

End of Life (C1, C3, C4)

	Unit	Value
Hazardous waste disposed	kg	
Collected as mixed construction waste	kg	
Reuse	kg	
Recycling	kg	
Energy recovery	kg	
To landfill	kg	1,5000

LCA: Results

The LCA results are presented below for the declared unit defined on page 2 of the EPD document.

System boundaries (X=included, MND=module not declared, MNR=module not relevant)

	Produc	t sta	ge	Constr instal sta	lation		User stage					End of life stage)	Beyond the . system bondaries	
Raw	materials Transnort	ransp	Manufacturing	Transport	Assembly	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy use	Operational water use	De- construction demolition	Transport	W aste processing	Disposal	Reuse-Recovery- Recycling- potential
A1	A	2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	. D
Х	Х		Х	Х	Х	Х	Х									Х	-

Environmental impact

Parameter	Unit	A1	A2	A3	A4	A5	B1	B2	C4
GWP	kg CO ₂ -eq	6,91E+00	1,93E-02	1,78E-01	6,98E-01	0	3,64E-04	0	7,62E-01
ODP	kg CFC11 -eq	5,95E-07	3,58E-09	8,75E-09	1,29E-07	0	3,50E-11	0	4,57E-09
РОСР	kg C ₂ H ₄ -eq	4,31E-03	3,04E-06	3,41E-05	1,14E-04	0	1,16E-07	0	2,04E-04
AP	kg SO ₂ -eq	4,86E-02	5,58E-05	8,58E-04	2,23E-03	0	1,90E-06	0	2,26E-04
EP	kg PO ₄ ³⁻ -eq	6,28E-03	1,02E-05	1,12E-04	3,69E-04	0	2,39E-07	0	8,82E-04
ADPM	kg Sb -eq	3,69E-05	6,68E-08	2,77E-07	2,13E-06	0	1,33E-09	0	3,19E-08
ADPE	MJ	8,87E+01	2,90E-01	1,98E+00	1,05E+01	0	4,00E-03	0	4,96E-01

GWP Global warming potential; ODP Depletion potential of the stratospheric ozone layer; POCP Formation potential of tropospheric photochemical oxidants; AP Acidification potential of land and water; EP Eutrophication potential; ADPM Abiotic depletion potential for non fossil resources; ADPE Abiotic depletion potential for fossil resources

Reading example: 9,0 E-03 = 9,0*10-3 = 0,009 *INA Indicator Not Assessed tora

Resource use

Parameter	Unit	A1	A2	A3	A4	A5	B1	B2	C4
RPEE	MJ	1,72E+02	4,32E-03	2,33E-01	1,53E-01	0	7,60E-04	0	2,62E-02
RPEM	MJ	8,68E+00	0,00E+00	0,00E+00	0,00E+00	0	0,00E+00	0	0,00E+00
TPE	MJ	1,80E+02	4,32E-03	2,33E-01	1,53E-01	0	7,60E-04	0	2,62E-02
NRPE	MJ	9,76E+01	2,97E-01	3,40E+00	1,08E+01	0	6,14E-03	0	5,31E-01
NRPM	MJ	1,85E-01	0,00E+00	0,00E+00	0,00E+00	0	0,00E+00	0	0,00E+00
TRPE	MJ	9,78E+01	2,97E-01	3,40E+00	1,08E+01	0	6,14E-03	0	5,31E-01
SM	kg	1,18E+00	0,00E+00	0,00E+00	0,00E+00	0	0,00E+00	0	0,00E+00
RSF	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0	0,00E+00	0	0,00E+00
NRSF	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0	0,00E+00	0	0,00E+00
W	m ³	1,03E-01	5,57E-05	1,63E-03	2,02E-03	0	1,17E-03	0	4,66E-04

RPEE Renewable primary energy resources used as energy carrier; RPEM Renewable primary energy resources used as raw materials; TPE Total use of renewable primary energy resources; NRPE Non renewable primary energy resources used as energy carrier; NRPM Non renewable primary energy resources used as materials; TRPE Total use of non renewable primary energy resources; SM Use of secondary materials; RSF Use of renewable secondary fuels; NRSF Use of non renewable secondary fuels; W Use of net fresh water

Reading example: 9,0 E-03 = 9,0*10-3 = 0,009

*INA Indicator Not Assessed

End of life - Waste

Parameter	Unit	A1	A2	A3	A4	A5	B1	B2	C4	
HW	kg	1,41E-04	1,83E-07	4,11E-06	6,29E-06	0	1,58E-08	0	1,58E-06	
NHW	kg	3,71E+00	1,50E-02	4,15E-02	5,67E-01	0	2,30E-04	0	1,52E+00	
RW	kg	INA*	INA*	INA*	INA*	0	INA*	0	INA*	
HW Hazardous waste disposed; NHW Non hazardous waste disposed; RW Radioactive waste disposed										
Reading example: 9,0 E-03	= 9,0*10-3 = 0,009)								

*INA Indicator Not Assessed

End of life - Output flow

Parameter	Unit	A1	A2	A3	A4	A5	B1	B2	C4
CR	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0	0,00E+00	0	0,00E+00
MR	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0	0,00E+00	0	0,00E+00
MER	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0	0,00E+00	0	0,00E+00
EEE	MJ	INA*	INA*	INA*	INA*	0	INA*	0	INA*
ETE	MJ	INA*	INA*	INA*	INA*	0	INA*	0	INA*
						1			

CR Components for reuse; MR Materials for recycling; MER Materials for energy recovery; EEE Exported electric energy; ETE Exported thermal energy

Reading example: 9,0 E-03 = 9,0*10-3 = 0,009

*INA Indicator Not Assessed

for?



Additional Norwegian requirements

Greenhouse gas emissions from the use of electricity in the manufacturing phase

National production mix from import, low voltage (production of transmission lines, in addition to direct emissions and losses in grid) of applied electricity for the manufacturing process (A3).

Electricity mix	Data source	Amount	Unit
Energy, electricity, European average: 1 kWh	ecoinvent 3.4	594,20	g CO2-ekv/kWh

Dangerous substances

The product contains no substances given by the REACH Candidate list or the Norwegian priority list.

Indoor environment

Our furniture doesn't contain any substanses that effect indoor clima

Additional environmental information

Key environmental indicators for variants for this EPD: Cradle to Gate analyse from A1 to A3

Variant number	Global warming (kg CO2)	Total energy use (MJ)	Share of recycled material in product(%)
Knekk chair with armrest	7,15	299,41	0,21
Knekk chair / fixed seat cushions	12,66	370,94	0,21
Knekk chair with armrest / fixed seat/back cushions	15,32	444,47	0,21

Bibliography

ISO 14025:2010 Environmental labels and declarations - Type III environmental declarations - Principles and procedures.

ISO 14044:2006 Environmental management - Life cycle assessment - Requirements and guidelines.

EN 15804:2012+A1:2013 Environmental product declaration - Core rules for the product category of construction products.

ISO 21930:2017 Sustainability in buildings and civil engineering works - Core rules for environmental product declarations of construction products.

ecoinvent v3, Allocation, cut-off by classification, Swiss Centre of Life Cycle Inventories.

Iversen et al., (2018) eEPD v3.0 - Background information for EPD generator system. LCA.no report number 04.18

Vold et al., (2019) EPD generator for Norsk Industri, Background information for industry application and LCA data, LCA no report number 06.19.

NPCR Part A: Construction products and services. Ver. 1.0. April 2017, EPD-Norge.

NPCR 026 Part B for Furniture. Ver. 2.0 October 2018, EPD-Norge.

Global Program Operator	Program operator and publisher	Phone:	+47 23 08 80 00
	The Norwegian EPD Foundation	e-mail:	post@epd-norge.no
	Post Box 5250 Majorstuen, 0303 Oslo,Norway	web:	www.epd-norge.no
tors wich	Owner of the declaration Fora Form AS Mosflatevegen 6154 Ørsta	Phone: e-mail: web:	+47 700 46 000 info@foraform.com www.foraform.no
LCA	Author of the Life Cycle Assessment	Phone:	+47 916 50 916
	LCA.no AS	e-mail:	post@lca.no
	Dokka 6B 1671 Kråkerøy	web:	www.lca.no
LCA	Developer of EPD generator	Phone:	+47 916 50 916
	LCA.no AS	e-mail:	post@lca.no
	Dokka 1C 1671 Kråkerøy	web:	www.lca.no