

## **Environmental product declaration**

in accordance with ISO 14025, ISO 21930 and EN 15804

Owner of the declaration:	Flokk AS
Program operator:	The Norwegian EPD Foundation
Publisher:	The Norwegian EPD Foundation
Declaration number:	NEPD-4301-3535-EN
Registration number:	NEPD-4301-3535-EN
ECO Platform reference number:	-
Issue date:	30.12.2022
Valid to:	30.12.2027

## OFFECCT Pauline 3-seater sofa

Flokk AS

www.epd-norge.no



l:lol:l:

### **General information**

#### Product:

OFFECCT Pauline 3-seater sofa

#### Program operator:

The Norwegian EPD Foundation Pb. 5250 Majorstuen, 0303 Oslo Phone: +47 23 08 80 00 e-mail: post@epd-norge.no

#### **Declaration number:**

NEPD-4301-3535-EN

#### ECO Platform reference number:

#### This declaration is based on Product Category Rules:

CEN Standard EN 15804:2012+A1:2013 serves as core PCR NPCR 026:2018 Part B for furniture

#### Statement of liability:

The owner of the declaration shall be liable for the underlying information and evidence. EPD Norway shall not be liable with respect to manufacturer information, life cycle assessment data and evidences.

#### **Declared unit:**

1 Pcs OFFECCT Pauline 3-seater sofa

#### Declared unit with option:

A1,A2,A3,A4

#### Functional unit:

OFFECCT Pauline 3-seater sofa (Cura/Gabriel, no packaging)

#### General information on verification of EPD from EPD tools:

Independent verification of data, other environmental information and the declaration according to ISO 14025:2010, § 8.1.3 and § 8.1.4. Individual third party verification of each EPD is not required when the EPD tool is i) integrated into the company's environmental management system, ii) the procedures for use of the EPD tool are approved by EPDNorway, and iii) the proccess is reviewed annualy. See Appendix G of EPD-Norway's General Programme Instructions for further information on EPD tools.

#### Verification of EPD tool:

Independent third party verification of the EPD tool, background data and test-EPD in accordance with EPDNorway's procedures and guidelines for verification and approval of EPD tools.

#### Erik Svanes, Norsus AS

(no signature required)

Key environmental indicators	Unit	Cradle to gate A1 - A3
Global warming	kg CO2 eqv	126,55
Total energy use	MJ	2428,16
Amount of recycled materials	%	8,59

#### Owner of the declaration:

Flokk AS Contact person: Atle Thiis-Messel Phone: 0047 98 25 68 30 e-mail: atle.messel@flokk.com

#### Manufacturer:

Flokk AS Drammensveien 145, 0277 Oslo Norway

#### Place of production:

Flokk - Turek ul. Górnicza 8 62-700 Turek Poland

#### Management system:

ISO 14001, ISO 9001, ISO 50001(Norway, Sweden)

#### **Organisation no:**

No 928 902 749

#### Issue date: 30.12.2022

Valid to: 30.12.2027

#### Year of study:

2023

#### Comparability:

EPDs from programmes other than the Norwegian EPD Foundation may not be comparable

#### Development and verification of EPD:

The declaration has been developed and verified using EPD tool lca.tools ver EPD2020.11, developed by LCA.no AS. The EPD tool is integrated into the company's environmental management system, and has been approved by EPD-Norway

Developer of EPD:

Damian Bakowski

Reviewer of company-specific input data and EPD:

Monika Kuczynska

#### Approved:

Sign

## Product

#### Market:

Wordwide

#### **Product description:**

Our offices and ways of working have changed, towards increased flexibility and more but smaller spaces for physical and digital meetings. The Pauline collectio is designed for use in such soft, adaptable work spaces. "The great quality of all Pauline Deltour's products is the ingenious simplicity that's always based on exquisite and carefully designed details. With the sofa, there are small shifts in proportions, surprising lines and brilliant functional solutions that create a natural elegance.

#### **Product specification**

Sofa with frame in plywood and solid wood with cut foam. Upholstered in fabric. Four Legs in lacquered metal.

Accessories: tabletop in lacquered metal. Width 30 cm, depth 17 cm, height 15 cm

The key environmental indicators for the options (incl. packaging) of the Offect Pauline 3-seater sofa are presented on a table page 8 of this declaration.

#### Technical data:

H 720	
W 2080	
D 790	
SD 560	

Reference service life, product

#### 5 years

Reference service life, building

Materials	kg	%	Recycled share in material (kg)	Recycled share in material (%)
Metal - Steel	2,65	3,74	0,31	11,86
Textile - Polyester (PE)	7,08	9,98	5,72	80,78
Plastic - Polyurethane (PUR)	12,29	17,33	0,00	0,00
Wood - Medium Density Fibreboard (MDF)	6,58	9,28	0,00	0,00
Wood - Solid pine	40,26	56,78	0,00	0,00
Powder coating	0,01	0,01	0,00	0,00
Plastic - Polyethylene (LDPE)	0,04	0,06	0,00	0,00
Glue	2,00	2,82	0,06	2,91
Total:	70,91		6,09	

### LCA: Calculation rules

#### Declared unit:

1 Pcs OFFECCT Pauline 3-seater sofa

#### Cut-off criteria:

All major raw materials and all the essential energy is included. The production processes for raw materials and energy flows with very small amounts (less than 1%) are not included. These cut-off criteria do not apply for hazardous materials and substances.

#### Allocation:


The allocation is made in accordance with the provisions of EN 15804. Effects of primary production of recycled materials is allocated to the main product in which the material was used. The recycling process and transportation of the material is allocated to this analysis.

#### Data quality:

Specific data for the product composition are provided by the manufacturer. They represent the production of the declared product and were collected for EPD development in the year of study. Background data is based on registered EPDs according to EN 15804, Ostfold Research databases, ecoinvent and other LCA databases. The data quality of the raw materials in A1 is presented in the table below.

Materials	Source	Data quality	Year
Plastic - Polyethylene (LDPE)	ecoinvent 3.4	Database	2013
Plastic - Polyurethane (PUR)	ecoinvent 3.4	Database	2015
Metal - Steel	ecoinvent 3.3	Database	2016
Metal - Steel	ecoinvent 3.4	Database	2017
Process	ecoinvent 3.4	Database	2017
Textile - Polyester (PE)	ecoinvent 3.4	Database	2017
Wood - Medium Density Fibreboard (MDF)	ecoinvent 3.4	Database	2017
Wood - Solid pine	ecoinvent 3.4	Database	2017
Powder coating	ecoinvent 3.5	Database	2018
Metal - Steel	ecoinvent 3.6	Database	2019
Process	ecoinvent 3.6	Database	2019
Textile - Polyester (PE)	ecoinvent 3.6	Database	2019
Glue	Modified ecoinvent 3.6	Database and supplier	2019

#### System boundary:



Additional technical information:

## l: lol:l:

## LCA: Scenarios and additional technical information

The following information describe the scenarios in the different modules of the EPD.

#### Transport from production place to user (A4)

Туре	Capacity utilisation (incl. return) %	Type of vehicle	Distance km	Fuel/Energy consumption	Unit	Value (l/t)
Truck	38,8 %	Truck, 16-32 tonnes, EURO 5	1000	0,044606	l/tkm	44,61
Railway					l/tkm	
Boat					l/tkm	
Other Transportation					l/tkm	

Assembly (A5)		Use (B1)			
•	Unit	Value	•	Unit	Value
Auxiliary	kg				
Water consumption	m <sup>3</sup>				
Electricity consumption	kWh		-		
Other energy carriers	MJ				
Material loss	kg				
Output materials fr ste treatment	kg		]		
Dust in the air	kg				
VOC emissions	kg				
Maintenance (B2)/Repair (B3)			Replacement (B4)/Refurbishment (B5)		

#### Maintenance (B2)/Repair (B3)

	Unit	Value		Unit	Value
Maintenance cycle*	SCO.		Replacement cycle*		
Auxiliary	Char		Electricity consumption	kWh	
Other resources	4/10		Replacement of worn parts		
Water consumption	m <sup>3</sup>	N. 94	* Described above if relevant	5-5-	
Electricity consumption	kWh		r a		
Other energy carriers	MJ		47.		
Material loss	kg		AA		
VOC emissions	kg		- are		
Operational energy (B6) and water consur	nption (B7)		Replacement cycle* Electricity consumption Replacement of worn parts * Described above if relevant A1.AA are End of Life (C1, C NOt inc.		
	Unit	Value	in the second	Unit	Value

•	Unit	Value	· ////////////////////////////////////	Unit	Value
Water consumption	m <sup>3</sup>		Hazardous waste disposed	kg	
Electricity consumption	kWh		Collected as mixed construction was	kg	
Other energy carriers	MJ		Reuse	kg	
Power output of equipment	KW		Recycling		
			Energy recovery		
			To landfill	kg	

#### Transport to waste processing (C2)

Туре	Capacity utilisation (incl. return) %	Type of vehicle	Distance km	Fuel/Energy consumption	Unit	Value (I/t)
Truck					l/tkm	
Railway					l/tkm	
Boat					l/tkm	
Other Transportation					l/tkm	

## LCA: Results

The LCA results are presented below for the declared unit defined on page 2 of the EPD document.

## System boundaries (X=included, MND=module not declared, MNR=module not relevant)

				Construction installation stage			User stage						End of I	life stage	•	Beyond the system bondaries	
	Raw materials	Transport	Manufacturing	Transport	Assembly	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy use	Operational water use	De- construction demolition	Transport	W aste processing	Disposal	Reuse-Recovery- Recycling- potential
	A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	. D
	Х	Х	Х	Х	MND	MND	MND	MND	MND	MND	MND	MND	MND	MND	MND	MND	. MND

### **Environmental impact**

Parameter	Unit	A1	A2	A3	A4
GWP	kg CO <sub>2</sub> -eq	1,25E+02	1,32E+00	7,05E-01	1,15E+01
ODP	kg CFC11 -eq	5,66E-06	2,48E-07	7,44E-08	2,13E-06
РОСР	kg C <sub>2</sub> H <sub>4</sub> -eq	4,56E-02	2,14E-04	1,12E-04	1,88E-03
AP	kg SO <sub>2</sub> -eq	5,35E-01	4,66E-03	3,05E-03	3,68E-02
EP	kg PO <sub>4</sub> <sup>3-</sup> -eq	7,86E-02	8,12E-04	6,90E-04	6,10E-03
ADPM	kg Sb -eq	1,10E-03	3,19E-06	5,40E-07	3,52E-05
ADPE	MJ	1,71E+03	2,02E+01	6,18E+00	1,74E+02

GWP Global warming potential; ODP Depletion potential of the stratospheric ozone layer; POCP Formation potential of tropospheric photochemical oxidants; AP Acidification potential of land and water; EP Eutrophication potential; ADPM Abiotic depletion potential for non fossil resources; ADPE Abiotic depletion potential for fossil resources

Reading example: 9,0 E-03 = 9,0\*10-3 = 0,009 \*INA Indicator Not Assessed

#### Resource use

Parameter	Unit	A1	A2	A3	A4
RPEE	MJ	2,22E+02	3,45E-01	2,82E+01	2,53E+00
RPEM	MJ	8,01E+02	0,00E+00	0,00E+00	0,00E+00
TPE	MJ	1,02E+03	3,45E-01	2,82E+01	2,53E+00
NRPE	MJ	2,15E+03	2,07E+01	8,43E+00	1,78E+02
NRPM	MJ	2,50E+02	0,00E+00	0,00E+00	0,00E+00
TRPE	MJ	2,40E+03	2,07E+01	8,43E+00	1,78E+02
SM	kg	6,09E+00	0,00E+00	1,95E-03	0,00E+00
RSF	MJ	1,72E-01	0,00E+00	7,88E-04	0,00E+00
NRSF	MJ	1,61E-01	0,00E+00	5,76E-03	0,00E+00
W	m <sup>3</sup>	1,60E+00	4,54E-03	1,83E-02	3,33E-02

RPEE Renewable primary energy resources used as energy carrier; RPEM Renewable primary energy resources used as raw materials; TPE Total use of renewable primary energy resources; NRPE Non renewable primary energy resources used as energy carrier; NRPM Non renewable primary energy resources used as materials; TRPE Total use of non renewable primary energy resources; SM Use of secondary materials; RSF Use of renewable secondary fuels; NRSF Use of non renewable secondary fuels; W Use of net fresh water

Reading example: 9,0 E-03 = 9,0\*10-3 = 0,009 \*INA Indicator Not Assessed

#### End of life - Waste

Parameter	Unit	A1	A2	A3	A4
HW	kg	8,31E-02	1,17E-05	1,65E-02	1,04E-04
NHW	kg	3,38E+01	1,51E+00	3,18E-01	9,36E+00
RW	kg	INA*	INA*	INA*	INA*
HW Hazardous waste disposed; NHW Non hazardous waste disposed; RW Radioactive waste disposed					
Reading example: 9,0 E-03 = 9,0*10-3 = 0,009 *INA Indicator Not Assessed					

#### End of life - Output flow

I					
Parameter	Unit	A1	A2	A3	A4
CR	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00
MR	kg	1,48E-03	0,00E+00	1,10E+00	0,00E+00
MER	kg	5,18E-02	0,00E+00	4,20E-03	0,00E+00
EEE	MJ	INA*	INA*	INA*	INA*
ETE	MJ	INA*	INA*	INA*	INA*
CR Components for reuse; MR Materials for recycling; MER Materials for energy recovery; EEE Exported electric energy; ETE Exported thermal energy					

Reading example: 9,0 E-03 = 9,0\*10-3 = 0,009

\*INA Indicator Not Assessed

## Additional Norwegian requirements

#### Greenhouse gas emissions from the use of electricity in the manufacturing phase

National production mix from import, low voltage (production of transmission lines, in addition to direct emissions and losses in grid) of applied electricity for the manufacturing process (A3).

Electricity mix	Data source	Amount	Unit
Electricity, renewable (kWh) - Poland	ecoinvent 3.6	3,93	g CO2-ekv/kWh

#### Dangerous substances

The product contains dangerous substances, more than 0,1% by weight, given by the REACH Candidate List or the Norwegian Priority list, see table.

Name	CASNo	Amount
Melamine (incl. only in the CMHR foam - dedicated for UK market to fulfil the BS 5852 IS-5 standard)	108-78-1	more than 0.1 %

#### Indoor environment

## Additional environmental information

Key environmental indicators for options for this EPD: Cradle to Gate analyse from A1 to A3

Option number	Global warming (kg CO2)	Total energy use (MJ)	hare of recycled material in product(%)	
Pauline, Tablet	8,66	120,38	9,93	
Pauline 3-seater sofa - Packaging	38,03	439,75	19,65	

### Bibliography

ISO 14025:2010 Environmental labels and declarations - Type III environmental declarations - Principles and procedures.

ISO 14044:2006 Environmental management - Life cycle assessment - Requirements and guidelines.

EN 15804:2012 + A1:2013 Environmental product declaration - Core rules for the product category of construction products.

ISO 21930:2017 Sustainability in buildings and civil engineering works - Core rules for environmental product declarations of construction products.

ecoinvent v3, Allocation, cut-off by classification, Swiss Centre of Life Cycle Inventories.

lversen et al., (2018) eEPD v3.0 - Background information for EPD generator system. LCA.no report number 04.18

Vold et al., (2019) EPD generator for Norsk Industri, Background information for industry application and LCA data, LCA.no report number 06.19.

NPCR Part A: Construction products and services. Ver. 1.0. April 2017, EPD-Norge.

NPCR 026 Part B for Furniture. Ver. 2.0 October 2018, EPD-Norge.

Clobal Program Operator	<b>Program operator and publisher</b>	Phone:	+47 23 08 80 00
	The Norwegian EPD Foundation	e-mail:	post@epd-norge.no
	Post Box 5250 Majorstuen, 0303 Oslo,Norway	web:	www.epd-norge.no
l:   o  :  :	<b>Owner of the declaration</b>	Phone:	0047 98 25 68 30
	Flokk AS	e-mail:	atle.messel@flokk.com
	Drammensveien 145, 0277 Oslo	web:	https://www.flokk.com
LCA	<b>Author of the Life Cycle Assessment</b>	Phone:	+47 916 50 916
	LCA.no AS	e-mail:	post@lca.no
	Dokka 6B 1671 Kråkerøy	web:	www.lca.no
LCA	<b>Developer of EPD generator</b>	Phone:	+47 916 50 916
	LCA.no AS	e-mail:	post@lca.no
	Dokka 1C 1671 Kråkerøy	web:	www.lca.no